

Références

Ressources générales

Agence de la santé publique du Canada. (2020) Parler de la consommation de substances de manière humaniste, sécuritaire et non stigmatisante : Une ressource pour les organisations canadiennes des professionnels de la santé et leurs membres. Gouvernement du Canada. <https://www.canada.ca/fr/sante-publique/services/publications/vie-saine/parler-consommation-substances-maniere-humaniste-securitaire-non-stigmatisante-2019.html>

Danovitch, I., Vanle, B., Van Groningen, N., Ishak, W., & Nuckols, T. (2020). Opioid Overdose in the Hospital Setting: A Systematic Review. *Journal of Addiction Medicine*, 14(1), 39–47. <https://doi.org/10.1097/ADM.0000000000000536>

Institute for Safe Medication Practices Canada (Director). (2017, July 24). Question opioïdes (1–8) [Youtube Video Series]. <https://www.youtube.com/playlist?list=PLvQDf5LHfSkM0I6nMFN9s2-yduDODTC2N>

IPRO Quality Innovation Network-Quality Improvement Organization. (2020). Stigma & implicit bias toolkit (12SOW-IPRO-QIN-TA-AA-21–470). Centers for Medicare & Medicaid Services, US Department of Health and Human Services. https://qi.ipro.org/wp-content/uploads/Stigma-Implicit-Bias-Toolkit_v1e-508c.pdf

Organisation de normes en santé (HSO). (2023). Gestion de la douleur pédiatrique (Compétence organisationnelle CAN/HSO 13200:2023). Organisation de normes en santé (HSO). <https://store.healthstandards.org/products/gestion-de-la-douleur-pediatrique-can-hso-13200-2023-f>

Reiter, E., & Ali, S. (2021, May). So you have been prescribed an opioid? [Infographic leaflet]. Stollery Children's Hospital/University of Alberta. https://kidsinpain.ca/wp-content/uploads/2021/04/ED_opioids_19Apr2021_Final.pdf

Rieder, M. J., & Jong, G. 't. (2021). The use of oral opioids to control children's pain in the post-codeine era. *Paediatrics & Child Health*, 26(2), 120–127. <https://doi.org/10.1093/pch/pxaa133>
SickKids. (n.d.). Safe opioid checklist for kids [Pamphlet]. The Hospital for Sick Children. Consulté le 5 juillet 2023 dans <https://assets.aboutkidshealth.ca/AKHAssets/OpioidSafetyChecklist.pdf>

Santé Canada. (2020). Les produits analgésiques vendus sans ordonnance et contenant de la codéine ne sont pas recommandés pour les personnes de moins de 18 ans (Avis RA-73635; Rappels et avis de sécurité). Gouvernement du Canada. <https://recalls-rappels.canada.ca/fr/avis-rappel/produits-analgésiques-vendus-sans-ordonnance-et-contenant-codeine-ne-sont-pas>

Santé Canada (2016). Résumé de l'examen de l'innocuité – Produits contenant de l'hydrocodone – Évaluation du risque de problèmes respiratoires graves (dépression respiratoire) chez les enfants et les adolescents (évaluations). Gouvernement du Canada. <https://www>

canada.ca/fr/sante-canada/services/medicaments-produits-sante/medefet-canada/examens-innocuite/resume-examen-innocuite-produits-contenant-hydrocodone-evaluation-risque.html

Santé Canada. (2022). Spectre de la consommation de substances (éducation et sensibilisation). Gouvernement du Canada. <https://www.canada.ca/fr/sante-canada/services/publications/vie-saine/spectre-consommation-substances-infographie.html>

SickKids. (2021). Prevention and treatment of opioid and benzodiazepine withdrawal (Medication Guideline, Treatment Guideline Version 2; Pain Education, Pain Treatment - Pharmacologic, Withdrawal Assessment). <https://childkindinternational.org/wp-content/uploads/Prevention-and-treatment-of-opioid-and-benzodiazepine-withdrawal.pdf>

SickKids. (2014, May 16). Opioids for pain. AboutKidsHealth. <https://www.aboutkidshealth.ca/443/article?contentid=2999&language=english>

Spénard, S., Gélinas, C., D. Trottier, E., Tremblay-Racine, F., & Kleiber, N. (2021). Morphine or hydromorphone: Which should be preferred? A systematic review. *Archives of Disease in Childhood*, 106(10), 1002–1009. <https://doi.org/10.1136/archdischild-2020-319059>

Tam, T. (2019). Lutte contre la stigmatisation : vers un système de santé plus inclusif (éducation et sensibilisation). Agence de la santé publique du Canada. Gouvernement du Canada. <https://www.canada.ca/fr/sante-publique/organisation/publications/rapports-etat-sante-publique-canada-administrateur-chef-sante-publique/lutte-contre-stigmatisation-vers-systeme-sante-plus-inclusif.html>

TREKK. (2021a). Clinician Practice Guideline: Opioids and children's pain [Infographic]. <http://opioidsclinicians.trekk.ca>

TREKK. (2021b). Opioids don't have to be scary! [Infographic]. <http://opioidsyouth.trekk.ca>

TREKK. (2022). Pain treatment bottom line recommendations (3.1). EMSC Innovation and Improvement Center. https://trekk.ca/system/assets/attachments/588/original/2022-10-07PainTreatmentBLR_FINAL_v3.1.pdf?1665168885

TREKK. (2021c). What are opioids? [Infographic]. <http://opioidsparent.trekk.ca>

Trottier, E. D., Ali, S., Doré-Bergeron, M.-J., & Chauvin-Kimoff, L. (2022). Best practices in pain assessment and management for children. *Paediatrics & Child Health*, 27(7), 429–437. <https://doi.org/10.1093/pch/pxac048>

UCSF Benioff Children's Hospital. (2018). Pediatric acute care opioid weaning guidelines (Pain Assessment, Pain Education, Pain Treatment - Pharmacologic, Withdrawal Assessment) [Education for Professionals, Medication Guideline, Treatment Guideline]. <https://childkindinternational.org/wp-content/uploads/Pediatric-Acute-Care-Opioid-Weaning-Guidelines.pdf>

Ressources générales – ressources supplémentaires

Barrington, K. (2011). Premédication for endotracheal intubation in the newborn infant. *Paediatrics & Child Health*, 16(3), 159–171. <https://doi.org/10.1093/pch/16.3.159>

BC Children's Hospital. (n.d.). Opioids. BC Children's Hospital. Consulté le 6 juillet 2023 dans http://www.cw.bc.ca/library/pdf/pamphlets/BCCH_Medication_Opioids.pdf

Galinkin, J., Koh, J. L., Committee on Drugs, Section On Anesthesiology and Pain Medicine, Frattarelli, D. A. C., Green, T. P., Johnson, T. D., Neville, K. A., Paul, I. M., Van Den Anker, J. N., Bannister, C. F., Tobias, J., Anderson, C. T. M., Goldschneider, K. R., & Polaner, D. M. (2014). Recognition and Management of Iatrogenically Induced Opioid Dependence and Withdrawal in Children. *Pediatrics*, 133(1), 152–155. <https://doi.org/10.1542/peds.2013-3398>

He, T., & Ho, C. (2017, April). Patients as the last slice of swiss cheese. *Hospital News*, 38–39. <https://www.ismp-canada.org/download/hnews/201704-HospitalNews-SwissCheese.pdf>

Institute for Safe Medication Practices Canada. (2014). Advancing opioid safety for children in hospitals (ISMP Canada Safety Bulletin 14, (3)). https://ismpcanada.ca/wp-content/uploads/ISMPCSB2014-3_HospitalOpioidSafetyForChildren.pdf

Institute for Safe Medication Practices Canada. (2016). 5 questions to ask about your medications when you see your doctor, nurse, or pharmacist [Infographic]. https://www.ismp-canada.org/download/MedRec/MedSafety_5_questions_to_ask_poster.pdf

Santé Canada. (2023). Codéine: usages, effets et risques (éducation et sensibilisation). Gouvernement du Canada. <https://www.canada.ca/fr/sante-canada/services/dependance-aux-drogues/drogues-illicites-et-reglementees/codeine.html>

Santé Canada. (2020). Parler des opioïdes avec votre professionnel de la santé (fiche d'information) (éducation et sensibilisation). Gouvernement du Canada. <https://www.canada.ca/fr/sante-canada/services/publications/vie-saine/parler-opioides-avec-professionnel-sante-fiche-information.html>

Santé Canada. (2015). Résumé de l'examen de l'innocuité - Produits contenant de la codéine - Évaluation approfondie du risque de problèmes respiratoires graves chez les enfants et les adolescents (évaluations). Gouvernement du Canada. <https://www.canada.ca/fr/sante-canada/services/medicaments-produits-sante/medeffets-canada/examen-innocuite/resume-examen-innocuite-produits-codeine-evaluation-approfondie-risque-problemes.html>

Santé Canada. (2019). Santé Canada recommande aux Canadiens de faire preuve de prudence s'ils prennent de la gabapentine ou de la prégabaline avec des opioïdes (Mise à jour RA-71003). Gouvernement du Canada. <https://recalls-rappels.canada.ca/fr/avis-rappel/sante-canada-recommande-canadiens-faire-preuve-prudence-s-ils-prennent-gabapentine-ou>

SickKids. (n.d.). Weaning algorithm for combination use of opioids and benzodiazepines (Pain Treatment - Pharmacologic) [Medication Guideline, Treatment Guideline]. Consulté le 19 juin 2023 dans <https://childkindinternational.org/wp-content/uploads/Weaning-algorithms-for-opioids-and-benzodiazepines.pdf>

Douleur aiguë

Ali, S., & Drendel, A. L. (2023). Responsible and safe use of opioids in children and adolescents in the emergency department. *Pediatric Emergency Medicine Practice*, 20(1), 1–24. <https://pubmed.ncbi.nlm.nih.gov/36592388/>

Beck, C. E., Trottier, E. D., Kirby-Allen, M., & Pastore, Y. (2022). Acute complications in children with sickle cell disease: Prevention and management. *Paediatrics & Child Health*, 27(1), 50–62. <https://doi.org/10.1093/pch/pxab096>

Comité de gestion des analgésiques du CHUSJ (GAN). (2021). Analgésiques opioïdes à courte action : Informations pour les patients et les familles (F-848 GRM 30004520 (rév. 01-2021)). Urgence CHU Sainte-Justine. https://www.chusj.org/getmedia/bab6d4ad-42d2-41d6-8f9a-4559718451ab/depliant_F-848_Analgésiques-opioides-a-courte-action.pdf.aspx?ext=.pdf

Hachimi-Idrissi, S., Dobias, V., Hautz, W. E., Leach, R., Sauter, T. C., Sforzi, I., & Coffey, F. (2020). Approaching acute pain in emergency settings; European Society for Emergency Medicine (EUSEM) guidelines-part 2: Management and recommendations. *Internal and Emergency Medicine*, 15(7), 1141–1155. <https://doi.org/10.1007/s11739-020-02411-2>

Hoffe, J., Bailey, B., Thibault, M., & Trottier, E. D. (2020). Fentanyl intranasal. Urgence CHU Sainte-Justine. <https://www.urgencehsj.ca/protocoles/fentanyl-intranasal-2/>

Lindbeck, G., Shah, M. I., Braithwaite, S., Powell, J. R., Panchal, A. R., Browne, L. R., Lang, E. S., Burton, B., Coughenour, J., Crowe, R. P., Degen, H., Hedges, M., Gasper, J., Guild, K., Mattera, C., Nasca, S., Taillac, P., & Warth, M. (2023). Evidence-based guidelines for prehospital pain management: Recommendations. *Prehospital Emergency Care*, 27(2), 144–153. <https://doi.org/10.1080/10903127.2021.2018073>

Organisation de normes en santé (HSO). (2023). Gestion de la douleur pédiatrique (Compétence organisationnelle CAN/HSO 13200:2023). Organisation de normes en santé (HSO). https://store.healthstandards.org/products/gestion-de-la-douleur-pediatrique-can-hso-13200-2023-f?_pos=1&_sid=27245d5e0&_ss=r

Oskoui, M., Pringsheim, T., Holler-Managan, Y., Potrebic, S., Billingham, L., Gloss, D., Hershey, A. D., Licking, N., Sowell, M., Victorio, M. C., Gersz, E. M., Leininger, E., Zanitsch, H., Yonker, M., & Mack, K. (2019). Practice guideline update summary: Acute treatment of migraine in children and adolescents. *Neurology*, 93(11), 487–499. <https://doi.org/10.1212/WNL.0000000000008095>

Qualité des services de santé Ontario. (2018). Prescription d'opioïdes pour soulager la douleur aiguë : soins destinés aux personnes de 15 ans et plus (Norme de qualité CL28611; Normes de qualité, p. 48). Gouvernement de l'Ontario. <https://www.hqontario.ca/Am%C3%A9liorer-les-soins-gr%C3%A2ce-aux-donn%C3%A9es-probantes/Normes-de-qualit%C3%A9/Voir-toutes-les-normes-de-qualit%C3%A9/Prescription-dopio%C3%AFdes-pour-soulager-la-douleur-aigu%C3%AB>

SickKids. (2019a, January 25). Acute pain: How to treat and manage in infants and toddlers. AboutKidsHealth. <https://www.aboutkidshealth.ca:443/article?contentid=3635&language=English>

SickKids. (2019b, January 25). Acute pain: How to treat and manage in older children. AboutKidsHealth. <https://www.aboutkidshealth.ca:443/article?contentid=3661&language=English>

SickKids. (2019c, January 25). Acute pain: How to treat and manage in teens. AboutKidsHealth. <https://www.aboutkidshealth.ca:443/article?contentid=3642&language=English>

SickKids. (2019d, January 25). Acute pain: How to treat and manage in young children. AboutKidsHealth. <https://www.aboutkidshealth.ca:443/article?contentid=3637&language=English>

SKIP & CHU St Justine. (2023). Assessing and Treating Acute Pain in Children with Sickle Cell Disease. https://kidsinpain.ca/wp-content/uploads/2023/09/VOEManagement-SCD_FR.pdf

Trottier, E. D., Doré-Bergeron, M.-J., Chauvin-Kimoff, L., Baerg, K., & Ali, S. (2019). Managing pain and distress in children undergoing brief diagnostic and therapeutic procedures. *Paediatrics & Child Health*, 24(8), 509–535. <https://doi.org/10.1093/pch/pxz026>

Douleur aiguë – ressources supplémentaires

Abebe, Y., Hetmann, F., Sumera, K., Holland, M., & Staff, T. (2021). The effectiveness and safety of paediatric prehospital pain management: A systematic review. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, 29(1), 170. <https://doi.org/10.1186/s13049-021-00974-3>

Alanazi, E. (2022). The effectiveness of ketamine compared to opioid analgesics for management of acute pain in children in the emergency department: Systematic review. *The American Journal of Emergency Medicine*, 61, 143–151. <https://doi.org/10.1016/j.ajem.2022.08.004>

Hartling, L., Ali, S., Dryden, D. M., Chordiya, P., Johnson, D. W., Plint, A. C., Stang, A., McGrath, P. J., & Drendel, A. L. (2016). How safe are common analgesics for the treatment of acute pain for children? A systematic review. *Pain Research & Management*, 2016, 5346819. <https://doi.org/10.1155/2016/5346819>

Jones, P., Lamdin, R., & Dalziel, S. R. (2020). Oral non-steroidal anti-inflammatory drugs versus other oral analgesic agents for acute soft tissue injury. *The Cochrane Database of Systematic Reviews*, 8(8), CD007789. <https://doi.org/10.1002/14651858.CD007789.pub3>

Li, K. X. (Chloe), & Ford, C. (2019). Codeine for pediatric patients with acute pain: A review of clinical effectiveness (Summary with Critical Appraisal RC1200-000). Canadian Agency for Drugs and Technologies in Health. <https://www.cadth.ca/codeine-pediatric-patients-acute-pain-review-clinical-effectiveness>

Murphy, A., O'Sullivan, R., Wakai, A., Grant, T. S., Barrett, M. J., Cronin, J., McCoy, S. C., Hom, J., & Kandamany, N. (2014). Intranasal fentanyl for the management of acute pain in children. *The Cochrane Database of Systematic Reviews*, 2014(10), CD009942. <https://doi.org/10.1002/14651858.CD009942.pub2>

Parri, N., & Lazzeri, S. (2020). Efficacy of ibuprofen in musculoskeletal post-traumatic pain in children: A systematic review. *PloS One*, 15(12), e0243314. <https://doi.org/10.1371/journal.pone.0243314>

Qiu, J., & Xie, M. (2021). Influence of ketamine versus fentanyl on pain relief for pediatric orthopedic emergencies: A meta-analysis of randomized controlled studies. *Medicine*, 100(42), e27409. <https://doi.org/10.1097/MD.00000000000027409>

Radman, M., Babic, A., Runjic, E., Jelacic Kadic, A., Jeric, M., Moja, L., & Puljak, L. (2019). Revisiting established medicines: An overview of systematic reviews about ibuprofen and paracetamol for treating pain in children. *European Journal of Pain* (London, England), 23(6), 1071–1082. <https://doi.org/10.1002/ejp.1380>

Setlur, A., & Friedland, H. (2018). Treatment of pain with intranasal fentanyl in pediatric patients in an acute care setting: A systematic review. *Pain Management*, 8(5), 341–352. <https://doi.org/10.2217/pmt-2018-0016>

Young, C., & Loshak, H. (2021). Medications containing low-dose codeine for the treatment of pain and coughs. *Canadian Journal of Health Technologies*, 1(8). <https://doi.org/10.51731/cjht.2021.127>

Douleur périopératoire

Aldamluji, N., Burgess, A., Pogatzki-Zahn, E., Raeder, J., Beloeil, H., the PROSPECT Working Group collaborators*, Albrecht, E., Beloeil, H., Bonnet, F., Freys, S., Joshi, G. P., Kehlet, H., Lavand'homme, P., Lirk, P., Lobo, D., Pogatzki-Zahn, E., Rawal, N., Raeder, J., Sauter, A., ... Van De Velde, M. (2021). PROSPECT guideline for tonsillectomy: Systematic review and procedure-specific postoperative pain management recommendations. *Anaesthesia*, 76(7), 947–961. <https://doi.org/10.1111/anae.15299>

Aubrun, F., Nouette-Gaulain, K., Fletcher, D., Belbachir, A., Beloeil, H., Carles, M., Cuvillon, P., Dadure, C., Lebuffe, G., Marret, E., Martinez, V., Olivier, M., Sabourdin, N., & Zetlaoui, P. (2019). Revision of expert panel's guidelines on postoperative pain management. *Anaesthesia, Critical Care & Pain Medicine*, 38(4), 405–411. <https://doi.org/10.1016/j.accpm.2019.02.011>

Barrette, L.-X., Harris, J., De Ravin, E., Balar, E., Moreira, A. G., & Rajasekaran, K. (2022). Clinical practice guidelines for pain management after tonsillectomy: Systematic quality appraisal

using the AGREE II instrument. *International Journal of Pediatric Otorhinolaryngology*, 156, 111091. <https://doi.org/10.1016/j.ijporl.2022.111091>

Institute for Safe Medication Practices Canada. (2018a). Les opioïdes pour la douleur après la chirurgie: Réponses à vos questions. <https://www.ismp-canada.org/download/OpioidStewardship/OpioidsAfterSurgery-FR.pdf>

Institute for Safe Medication Practices Canada. (2018b). Opioids for pain after surgery: Your questions answered. <https://www.ismp-canada.org/download/OpioidStewardship/OpioidsAfterSurgery-EN.pdf>

Jitpakdee, T., & Mandee, S. (2014). Strategies for preventing side effects of systemic opioid in postoperative pediatric patients. *Paediatric Anaesthesia*, 24(6), 561–568. <https://doi.org/10.1111/pan.12420>

Kelley-Quon, L. I., Kirkpatrick, M. G., Ricca, R. L., Baird, R., Harbaugh, C. M., Brady, A., Garrett, P., Wills, H., Argo, J., Diefenbach, K. A., Henry, M. C. W., Sola, J. E., Mahdi, E. M., Goldin, A. B., St Peter, S. D., Downard, C. D., Azarow, K. S., Shields, T., & Kim, E. (2021). Guidelines for opioid prescribing in children and adolescents after surgery: An expert panel opinion. *JAMA Surgery*, 156(1), 76–90. <https://doi.org/10.1001/jamasurg.2020.5045>

Paquette, J. (2019, April). L'analgésie contrôlée par le patient (ACP) pour le soulagement de la douleur: Guide destiné à l'enfant, l'adolescent, la femme et/ou sa famille (F-1438 GRM : 3001 0380 (Révisé : avril 2019)). CHU Sainte-Justine. https://www.chusj.org/getmedia/7809bf9f-4192-4e40-af76-cf407127e414/F1438_analgésie-controlee.pdf.aspx?ext=.pdf

Rodríguez, M. C., Villamor, P., & Castillo, T. (2016). Assessment and management of pain in pediatric otolaryngology. *International Journal of Pediatric Otorhinolaryngology*, 90, 138–149. <https://doi.org/10.1016/j.ijporl.2016.09.015>

Vittinghoff, M., Lönnqvist, P.-A., Mossetti, V., Heschl, S., Simic, D., Colovic, V., Dmytriiev, D., Hölzle, M., Zielinska, M., Kubica-Cielinska, A., Lorraine-Lichtenstein, E., Budić, I., Karisik, M., Maria, B. D. J., Smedile, F., & Morton, N. S. (2018). Postoperative pain management in children: Guidance from the pain committee of the European Society for Paediatric Anaesthesiology (ESPA Pain Management Ladder Initiative). *Paediatric Anaesthesia*, 28(6), 493–506. <https://doi.org/10.1111/pan.13373>

Wong, I., St John-Green, C., & Walker, S. M. (2013). Opioid-sparing effects of perioperative paracetamol and nonsteroidal anti-inflammatory drugs (NSAIDs) in children. *Paediatric Anaesthesia*, 23(6), 475–495. <https://doi.org/10.1111/pan.12163>

Douleur périopératoire – ressources supplémentaires

Badin, D., Ortiz-Babilonia, C. D., Gupta, A., Leland, C. R., Musharbash, F., Parrish, J. M., & Aiyer, A. A. (2022). Prescription patterns, associated factors, and outcomes of opioids for operative foot and ankle fractures: A systematic review. *Clinical Orthopaedics and Related Research*, 480(11), 2187–2201. <https://doi.org/10.1097/CORR.0000000000002307>

Birnie, K. A., Stinson, J., Isaac, L., Tyrrell, J., Campbell, F., Jordan, I. P., Marianayagam, J., Richards, D., Rosenbloom, B. N., Clement, F., & Hubley, P. (2022). Mapping the current state of pediatric surgical pain care across Canada and assessing readiness for change. *Canadian Journal of Pain*, 6(2), 108–120. <https://doi.org/10.1080/24740527.2022.2038031>

Boric, K., Dosenovic, S., Jelcic Kadic, A., Batinic, M., Cavar, M., Urlic, M., Markovina, N., & Puljak, L. (2017). Interventions for postoperative pain in children: An overview of systematic reviews. *Paediatric Anaesthesia*, 27(9), 893–904. <https://doi.org/10.1111/pan.13203>

Constant, I., Ayari Khalfallah, S., Brunaud, A., Deramoudt, V., Fayoux, P., Giovanni, A., Mareau, C., Marianowski, R., Michel, J., Mondain, M., Paganelli, A., Pondaven, S., Schultz, P., Treluyer, J. M., Wood, C., Nicolas, R., & SFORL Work Group. (2014). Comment substituer la codéine après amygdalotomie chez l'enfant de moins de 12 ans ? Recommandation de la Société française d'otorhinolaryngologie et de chirurgie de la face et du cou. *Annales françaises d'Oto-rhinolaryngologie et de Pathologie Cervico-faciale.*, 131(4), 233–238. <https://www.sciencedirect.com/science/article/abs/pii/S1879726114001211>

Dautremont, E. A., Ebrahimzadeh, E., Beck, J. J., Bowen, R. E., & Sangiorgio, S. N. (2017). Opioid prescription and usage in adolescents undergoing orthopaedic surgery in the United States: A systematic review. *JBJS Reviews*, 5(8), e5. <https://doi.org/10.2106/JBJS.RVW.16.00093>

Michelet, D., Andreu-Gallien, J., Bensalah, T., Hilly, J., Wood, C., Nivoche, Y., Mantz, J., & Dahmani, S. (2012). A meta-analysis of the use of nonsteroidal antiinflammatory drugs for pediatric postoperative pain. *Anesthesia and Analgesia*, 114(2), 393–406. <https://doi.org/10.1213/ANE.0b013e31823d0b45>

Douleur chronique

Banerjee, S., & Butcher, R. (2020). Pharmacological interventions for chronic pain in pediatric patients: A review of guidelines (Summary with Critical Appraisal RC1275-000). Canadian Agency for Drugs and Technologies in Health. <https://www.cadth.ca/sites/default/files/pdf/htis/2020/RC1275%20Ped%20Chronic%20Pain%20Guidelines%20Final.pdf>

Chief Medical Officer Directorate. (2018). Management of chronic pain in children and young people: Summary [Advice and guidance]. Scottish Government. <http://www.gov.scot/publications/management-chronic-pain-children-young-people/>

Kahan, M., Wilson, L., Mailis-Gagnon, A., Srivastava, A., & National Opioid Use Guideline Group. (2011). Canadian guideline for safe and effective use of opioids for chronic noncancer pain: Clinical summary for family physicians. Part 2: special populations. Canadian Family Physician Medecin De Famille Canadien, 57(11), 1269–1276, e419–428. <https://www.cfp.ca/content/57/11/e419>

L'Agence des médicaments et des technologies de la santé au Canada. (2022). Les outils de dépistage préopératoire et les facteurs de risque de douleur postopératoire chronique : résumé (p. 4) (résumé de données probantes) L'Agence des médicaments et des technologies de la santé au Canada. https://www.cadth.ca/sites/default/files/attachments/2022-05/HC0023_pre_surgery_screening_summary_0.pdf

Moulin, D., Boulanger, A., Clark, A. J., Clarke, H., Dao, T., Finley, G. A., Furlan, A., Gilron, I., Gordon, A., Morley-Forster, P. K., Sessle, B. J., Squire, P., Stinson, J., Taenzer, P., Velly, A., Ware, M. A., Weinberg, E. L., Williamson, O. D., & Canadian Pain Society. (2014). Pharmacological management of chronic neuropathic pain: Revised consensus statement from the Canadian Pain Society. Pain Research & Management, 19(6), 328–335. <https://doi.org/10.1155/2014/754693>

Organisation de normes en santé (HSO). (2023). Gestion de la douleur pédiatrique (Compétence organisationnelle CAN/HSO 13200:2023). Organisation de normes en santé (HSO). <https://store.healthstandards.org/products/pediatric-pain-management-can-hso-13200-2023-e>

Qualité des services de santé Ontario. (2018). Prescription d'opioïdes pour soulager la douleur chronique : soins destinés aux personnes de 15 ans et plus (Normes de qualité) (Norme de qualité). Gouvernement de l'Ontario. <https://www.hqontario.ca/portals/0/documents/evidence/quality-standards/qs-opioid-chronic-pain-clinician-guide-en.pdf>

SickKids. (2019a, January 25). Chronic pain: How to treat and manage in older children. AboutKidsHealth. <https://www.aboutkidshealth.ca/443/article?contentid=3650&language=English>

SickKids. (2019b, January 25). Chronic pain: How to treat and manage in teens. AboutKidsHealth. <https://www.aboutkidshealth.ca/443/article?contentid=3653&language=English>

SickKids. (2019c, January 25). Chronic pain: How to treat and manage in young children. AboutKidsHealth. <https://www.aboutkidshealth.ca/article?contentid=3647&language=english>

SickKids. (2019d, January 25). Longer-lasting pain: How to treat and manage in infants and toddlers. AboutKidsHealth. <https://www.aboutkidshealth.ca/443/article?contentid=3645&language=English>

The Hospital for Sick Children (SickKids). (2023). Power over pain: Public portal. <https://fr.popyouth.ca/>

World Health Organization. (2020). Guidelines on the management of chronic pain in children (p. 40). World Health Organization. <https://apps.who.int/iris/rest/bitstreams/1323615/retrieve>

Douleur chronique – ressources supplémentaires

Anand, K. J. S., Willson, D. F., Berger, J., Harrison, R., Meert, K. L., Zimmerman, J., Carcillo, J., Newth, C. J. L., Prodhan, P., Dean, J. M., Nicholson, C., & Eunice Kennedy Shriver National Institute of Child Health and Human Development Collaborative Pediatric Critical Care Research Network. (2010). Tolerance and withdrawal from prolonged opioid use in critically ill children. Pediatrics, 125(5), e1208–1225. <https://doi.org/10.1542/peds.2009-0489>

Cohen, S. P., Vase, L., & Hooten, W. M. (2021). Chronic pain: An update on burden, best practices, and new advances. Lancet (London, England), 397(10289), 2082–2097. [https://doi.org/10.1016/S0140-6736\(21\)00393-7](https://doi.org/10.1016/S0140-6736(21)00393-7)

Cooper, T. E., Fisher, E., Gray, A. L., Krane, E., Sethna, N., van Tilburg, M. A., Zernikow, B., & Wiffen, P. J. (2017). Opioids for chronic non-cancer pain in children and adolescents. The Cochrane Database of Systematic Reviews, 7(7), CD012538. <https://doi.org/10.1002/14651858.CD012538.pub2>

Eccleston, C., Aldington, D., Moore, A., & de C Williams, A. C. (2021). Pragmatic but flawed: The NICE guideline on chronic pain. Lancet (London, England), 397(10289), 2029–2031. [https://doi.org/10.1016/S0140-6736\(21\)01058-8](https://doi.org/10.1016/S0140-6736(21)01058-8)

Fisher, D. (2010). Opioid tapering in children: A review of the literature. AACN Advanced Critical Care, 21(2), 139–145. <https://pubmed.ncbi.nlm.nih.gov/20431442/>

Li, Y., Ma, J., Lu, G., Dou, Z., Knaggs, R., Xia, J., Zhao, S., Dong, S., & Yang, L. (2021). Hydromorphone for cancer pain. The Cochrane Database of Systematic Reviews, 8(8), CD011108. <https://doi.org/10.1002/14651858.CD011108.pub3>

Mahendra, V., Singhal, S., Dzara, K., Jain, G., Pilla, T. R., Manworren, R., & Kaye, A. D. (2014). Long-term neuropsychological effects of opioid use in children: A descriptive literature review. Pain Physician, 17(2), 109–118. <https://www.painphysicianjournal.com/current/pdf?article=MjA2NA==&journal=81>

Wiffen, P. J., Cooper, T. E., Anderson, A.-K., Gray, A. L., Grégoire, M.-C., Ljungman, G., & Zernikow, B. (2017). Opioids for cancer-related pain in children and adolescents. The Cochrane Database of Systematic Reviews, 7(7), CD012564. <https://doi.org/10.1002/14651858.CD012564.pub2>

Douleur dentaire aiguë

American Academy of Pediatric Dentistry. (2022). Pain management in infants, children, adolescents, and individuals with special health care needs (The Reference Manual of Pediatric Dentistry, p. 392.400). American Academy of Pediatric Dentistry. https://www.aapd.org/media/Policies_Guidelines/BP_Pain.pdf

Benzel, R., & Holt, K. (2022). Opioids and children and adolescents: Information for oral health professionals. National Maternal and Child Oral Health Resource Center, Georgetown University. https://www.mchoralhealth.org/PDFs/opioids_children_adolescents.pdf

Canadian Dental Association, & Donaldson, M. (2017). Pain relief without opioids: Teens, wisdom teeth, and opioids. CDA Essentials, 4(7), 21. <https://www.cda-adc.ca/en/services/essentials/2017/issue7/19/>

Carrasco-Labra, A., Polk, D. E., Urquhart, O., Aghaloo, T., Claytor, J. W., Jr, Dhar, V., Dionne, R. A., Espinoza, L., Gordon, S. M., Hersh, E. V., Law, A. S., Li, B. S.-K., Schwartz, P. J., Suda, K. J., Turturro, M. A., Wright, M. L., Dawson, T., Miroshnychenko, A., Pahlke, S., ... Moore, P. A. (2023). Evidence-based clinical practice guideline for the pharmacologic management of acute dental pain in children: A report from the American Dental Association Science and Research Institute, the University of Pittsburgh School of Dental Medicine, and the Center for Integrative Global Oral Health at the University of Pennsylvania. The Journal of the American Dental Association, 154(9), 814-825.e2. <https://doi.org/10.1016/j.adaj.2023.06.014>

Institute for Safe Medication Practices Canada. (2019). Managing pain after wisdom teeth removal: Your questions answered. Institute for Safe Medication Practices Canada. <https://www.ismp-canada.org/download/OpioidStewardship/WisdomTeethRemoval-EN.pdf>

Seal, K., & Wright, M.-D. (2018). Analgesics for surgical third molar extraction: Clinical effectiveness and guidelines (Summary of Abstracts RB1209-000; pp. 1–15). Canadian Agency for Drugs and Technologies in Health. <https://www.cadth.ca/sites/default/files/pdf/htis/2018/RB1209%20Analgesics%20for%20Oral%20Surgery%20Final.pdf>

Douleur dentaire aiguë – ressources supplémentaires

American Dental Association. (2022). Chairside pain management discussion acute pain and opioid prescriptions (Chairside Pain Management Discussion). American Dental Association. https://www.ada.org/-/media/project/ada-organization/ada-ada-org/files/resources/practice/health-and-wellness/ada_chairside_pain_management_discussion.pdf?rev=b72ea26d3a434bd590a0e321f07e9904&hash=B496A3F1062EFCAE52707FB8E662694A

Association dentaire canadienne. (2023). Soulagement de la douleur. http://www.cda-adc.ca/en/oral_health/talk/complications/pain_management/

Dyson, M. P., Dong, K., Sevcik, W., Graham, S. Z., Saba, S., Hartling, L., & Ali, S. (2022). Quantifying unused opioids following emergency and ambulatory care: A systematic review and meta-analysis. Journal of the American College of Emergency Physicians Open, 3(5), e12822. <https://doi.org/10.1002/emp2.12822>

Ontario Pharmacy Evidence Network. (2021, March 11). First Use Non Opioids! OPEN Summit 2021. <https://www.youtube.com/watch?v=LVvEnMW3n7M>

Usage d'opioïdes à risque élevé

Ahrari, M., Ali, S., Hartling, L., Dong, K., Drendel, A. L., Klassen, T. P., Schreiner, K., & Dyson, M. P. (2021). Nonmedical opioid use after short-term therapeutic exposure in children: A systematic review. Pediatrics, 148(6), e2021051927. <https://doi.org/10.1542/peds.2021-051927>

Beauchemin, M., Dorritie, R., & Hershman, D. L. (2021). Opioid use and misuse in children, adolescents, and young adults with cancer: A systematic review of the literature. Supportive Care in Cancer: Official Journal of the Multinational Association of Supportive Care in Cancer, 29(8), 4521–4527. <https://doi.org/10.1007/s00520-020-05980-2>

British Columbia Centre on Substance Use. (2018). Treatment of opioid use disorder for youth: Guideline supplement [Guideline supplement]. British Columbia Ministry of Health. <https://www.bccsu.ca/wp-content/uploads/2018/06/ODU-Youth.pdf>

Canadian Centre on Substance Use and Addiction. (2020). Prescription Opioids (Canadian Drug Summary). CCSA. <https://www.ccsa.ca/prescription-opioids-canadian-drug-summary>

Center for Adolescent Behavioral Health Research (CABHRe). (2020). CRAFFT Screening Test. <https://crafft.org/get-the-crafft/>

Centre for Addiction and Mental Health. (2020). Opioids: What you and your friends need to know. Centre for Addictions and Mental Health. <https://www.camh.ca/-/media/files/guides-and-publications/prescription-opioids-youth-en.pdf>

Committee on Substance use and Prevention. (2016). Medication-Assisted Treatment of Adolescents With Opioid Use Disorders. Pediatrics, 138(3), e20161893. <https://doi.org/10.1542/peds.2016-1893>

Dyson, M. P., Dong, K., Sevcik, W., Graham, S. Z., Saba, S., Hartling, L., & Ali, S. (2022). Quantifying unused opioids following emergency and ambulatory care: A systematic review and meta-analysis. Journal of the American College of Emergency Physicians Open, 3(5), e12822. <https://doi.org/10.1002/emp2.12822>

Foundry BC. (2021). Parents like us: The unofficial survival guide to parenting a young person with a substance use disorder. Government of British Columbia. <https://foundrybc.ca/stories/parents-like-us-have-something-to-say/>

Jeunesse sans drogue Canada. (s.d.). Clic Parents. Consulté le 15 décembre 2023 dans <https://www.jeunesse sans drogue canada.org/soutien/supporthub/>

Jeunesse sans drogue Canada. (2020). Parlons opioïdes et fentanyl. Gouvernement du Canada. https://www.drugfreekidscanada.org/wp-content/uploads/2020/01/DFK_Opioids_Booklet_FINAL.pdf

Koh, J. J., Klaiman, M., Miles, I., Cook, J., Kumar, T., Sheikh, H., Dong, K., Orkin, A. M., Ali, S., & Shouldice, E. (2020). CAEP position statement: Emergency department management of people with opioid use disorder. *Canadian Journal of Emergency Medicine*, 22(6), 768–771. <https://doi.org/10.1017/cem.2020.459>

Nairn, S. A., Audet, M., Stewart, S. H., Hawke, L. D., Isaacs, J. Y., Henderson, J., Saah, R., Knight, R., Fast, D., Khan, F., Lam, A., & Conrod, P. (2022). Interventions to reduce opioid use in youth at-risk and in treatment for substance use disorders: A scoping review. *Canadian Journal of Psychiatry. Revue canadienne de psychiatrie*, 67(12), 881–898. <https://doi.org/10.1177/07067437221089810>

National Institute on Drug Abuse. (n.d.-a). Brief screener for tobacco, alcohol, and other drugs [Teens Screening Tool]. Brief Screener for Tobacco, Alcohol, and Other Drugs. Consulté le 11 juillet 2023 dans <https://nida.nih.gov/bstad/>

National Institute on Drug Abuse. (n.d.-b). Screening to Brief Intervention (S2BI) [Teens Screening Tool]. Screening to Brief Intervention (S2BI). Consulté le 11 juillet 2023 dans <https://nida.nih.gov/s2bi>

National Institute on Drug Abuse. (2019, May 30). Screening Tools for adolescent substance use. <https://nida.nih.gov/nidamed-medical-health-professionals/screening-tools-resources/screening-tools-adolescent-substance-use>

Oliver, J., Coggins, C., Compton, P., Hagan, S., Matteliano, D., Stanton, M., St Marie, B., Strobbe, S., Turner, H. N., & American Society for Pain Management Nursing. (2012). American Society for Pain Management nursing position statement: Pain management in patients with substance use disorders. *Journal of Addictions Nursing*, 23(3), 210–222. <https://doi.org/10.1097/JAN.0b013e318271c123>

Santé Canada. (2022). Spectre de la consommation de substances (éducation et sensibilisation). Gouvernement du Canada. <https://www.canada.ca/en/health-canada/services/publications/healthy-living/substance-use-spectrum-infographic.html>

Usage d'opioïdes à risque élevé – ressources supplémentaires

Groenewald, C. B. (2019). Opioid-prescribing Patterns for Pediatric Patients in the United States. *The Clinical Journal of Pain*, 35(6), 515–520. <https://doi.org/10.1097/AJP.0000000000000707>

Hadland, S. E., Bagley, S. M., Gai, M. J., Earlywine, J. J., Schoenberger, S. F., Morgan, J. R., & Barocas, J. A. (2021). Opioid Use Disorder and Overdose Among Youth Following an Initial Opioid Prescription. *Addiction (Abingdon, England)*, 116(10), 2790–2800. <https://doi.org/10.1111/add.15487>

Jun, E., Ali, S., Yaskina, M., Dong, K., Rajagopal, M., Drendel, A. L., Fowler, M., Poonai, N., & Pediatric Emergency Research Canada. (2021). A two-centre survey of caregiver perspectives on opioid use for children's acute pain management. *Paediatrics & Child Health*, 26(1), 19–26. <https://doi.org/10.1093/pch/pxz162>

Lyons, R. M., Yule, A. M., Schiff, D., Bagley, S. M., & Wilens, T. E. (2019). Risk factors for drug overdose in young people: A systematic review of the Literature. *Journal of Child and Adolescent Psychopharmacology*, 29(7), 487–497. <https://doi.org/10.1089/cap.2019.0013>

Minozzi, S., Amato, L., Bellisario, C., & Davoli, M. (2014). Detoxification treatments for opiate dependent adolescents. *The Cochrane Database of Systematic Reviews*, 4, CD006749. <https://doi.org/10.1002/14651858.CD006749.pub3>

Nielsen, S., Tse, W. C., & Larance, B. (2022). Opioid agonist treatment for people who are dependent on pharmaceutical opioids. *The Cochrane Database of Systematic Reviews*, 9(9), CD011117. <https://doi.org/10.1002/14651858.CD011117.pub3>

Lectures supplémentaires

Abraham, O., Szela, L., Brasel, K., & Hoernke, M. (2022). Engaging youth in the design of prescription opioid safety education for schools. *Journal of the American Pharmacists Association: JAPhA*, 62(2), 441–449. <https://doi.org/10.1016/j.japh.2021.10.016>

American Society of Anesthesiologists Task Force on Acute Pain Management. (2012). Practice guidelines for acute pain management in the perioperative setting: An updated report by the American Society of Anesthesiologists Task Force on Acute Pain Management. *Anesthesiology*, 116(2), 248–273. <https://doi.org/10.1097/ALN.0b013e31823c1030>

Bailey, B., & Trottier, E. D. (2016). Managing pediatric pain in the emergency department. *Pediatric Drugs*, 18(4), 287–301. <https://doi.org/10.1007/s40272-016-0181-5>

Buffalo, L. A. (2018). Application du timbre de fentanyl : Guide destiné aux enfants et à leur famille (F-57 GRM : 3000 9963 (Révisé : 02/2018)). CHU Sainte-Justine. https://www.chusj.org/getmedia/9a6163dd-0ac3-463e-ad49-1d43f856225e/depliant_F-57_application-timbre-fentanyl.pdf.aspx?ext=.pdf

Centre for Addiction and Mental Health. (2012). Youth and prescription painkillers: What parents need to know. Centre for Addiction and Mental Health. <https://camh.ca/-/media/files/guides-and-publications/youth-prescription-drugs.pdf>

Duedahl, T. H., & Hansen, E. H. (2007). A qualitative systematic review of morphine treatment in children with postoperative pain. *Paediatric Anaesthesia*, 17(8), 756–774. <https://doi.org/10.1111/j.1460-9592.2007.02213.x>

Feinberg, A. E., Chesney, T. R., Srikandarajah, S., Acuna, S. A., McLeod, R. S., & Best Practice in Surgery Group. (2018). Opioid use after discharge in postoperative patients: A systematic review. *Annals of Surgery*, 267(6), 1056–1062. <https://doi.org/10.1097/SLA.0000000000002591>

Food and Drug Administration. (n.d.-a). Parents and caregivers of children: It's important to safely dispose of opioids. US Department of Health and Human Services, National Institutes of Health. Consulté le 6 juillet 2023 dans <https://www.fda.gov/media/123331/download>

Food and Drug Administration. (n.d.-b). Parents and caregivers of teens: It's important to safely dispose of opioids. US Department of Health and Human Services, National Institutes of Health. Consulté le 6 juillet 2023 dans <https://www.fda.gov/media/123332/download>

Gall, O. & Comité douleur-anesthésie locorégionale et le comité des référentiels de la Sfar. (2009). Comment utiliser les morphiniques en périopératoire? Spécificités pédiatriques Recommended use of morphine in children for postoperative pain relief. Annales françaises d'anesthésie et de réanimation, 28(2), e43-47. <https://doi.org/10.1016/j.annfar.2008.12.002>

Howard, M. L., Isaacs, A. N., & Nisly, S. A. (2018). Continuous infusion nonsteroidal anti-inflammatory drugs for perioperative pain management. Journal of Pharmacy Practice, 31(1), 66–81. <https://doi.org/10.1177/0897190016665539>

Institute for Safe Medication Practices Canada (Ed.). (n.d.). Prévenir les accidents reliés aux médicaments [Pamphlet]. Consulté le 6 juillet 2023 dans <https://www.ismp-canada.org/download/OpioidStewardship/information-sur-le-stockage-elimination.pdf>

Institute for Safe Medication Practices Canada (Ed.). (n.d.). Prevent medication accidents [Pamphlet]. Consulté le 6 juillet 2023 dans <https://www.ismp-canada.org/download/OpioidStewardship/storage-disposal-information.pdf>

Institute for Safe Medication Practices Canada (Ed.). (2016). Patient information: Storage and disposal of opioids [Pamphlet]. Health Canada. <https://www.ismp-canada.org/download/OpioidStewardship/OpioidStorageDisposal-patient.pdf>

Jeunesse sans drogue Canada. (2023). Fentanyl - Jeunesse sans drogue Canada. Clic Parents. <https://www.drugfreekidscanada.org/drug-spotlights/fentanyl/>

Koh, W. S., & Leslie, K. (2022). Postoperative analgesia for complex spinal surgery. Current Opinion in Anaesthesiology, 35(5), 543–548. <https://doi.org/10.1097/ACO.0000000000001168>

Krčevski Škvarč, N., Morlion, B., Vowles, K. E., Bannister, K., Buchsner, E., Casale, R., Chenot, J.-F., Chumbley, G., Drewes, A. M., Dom, G., Jutila, L., O'Brien, T., Pogatzki-Zahn, E., Rakusa, M., Suarez-Serrano, C., Tölle, T., & Häuser, W. (2021). European clinical practice recommendations on opioids for chronic noncancer pain - Part 2: Special situations. European Journal of Pain (London, England), 25(5), 969–985. <https://doi.org/10.1002/ejp.1744>

McCarty, D., Chan, B., Buchheit, B. M., Bougatsos, C., Grusing, S., & Chou, R. (2022). Effectiveness of and access to medications for opioid use disorder for adolescents and young adults: A scoping Review. Journal of Addiction Medicine, 16(3), e157–e164. <https://doi.org/10.1097/ADM.0000000000000898>

Poonai, N., Paskar, D., Konrad, S.-L., Rieder, M., Joubert, G., Lim, R., Golozar, A., Uledi, S., Worster, A., & Ali, S. (2014). Opioid analgesia for acute abdominal pain in children: A systematic review and meta-analysis. Academic Emergency Medicine: Official Journal of the Society for Academic Emergency Medicine, 21(11), 1183–1192. <https://doi.org/10.1111/acem.12509>

Silva, C., Oliveira, D., Pestana-Santos, M., Portugal, F., & Capelo, P. (2022). Chronic non-cancer pain in adolescents: A narrative review. Brazilian Journal of Anesthesiology (Elsevier), 72(5), 648–656. <https://doi.org/10.1016/j.bjane.2021.04.033>

Voepel-Lewis, T., Malviya, S., Grant, J. A., Dwyer, S., Becher, A., Schwartz, J. H., & Tait, A. R. (2021). Effect of a brief scenario-tailored educational program on parents' risk knowledge, perceptions, and decisions to administer prescribed opioids: A randomized controlled trial. Pain, 162(3), 976–985. <https://doi.org/10.1097/j.pain.0000000000002095>

Zhu, A., Benzon, H. A., & Anderson, T. A. (2017). Evidence for the efficacy of systemic opioid-sparing analgesics in pediatric surgical populations: A systematic review. Anesthesia and Analgesia, 125(5), 1569–1587. <https://doi.org/10.1213/ANE.0000000000002434>